

ATTORNEY CLIENT PRIVILEGED AND/OR CONFIDENTIAL




Fig. 2





Fig. 3



ATTORNEY CLIENT PRIVILEGED AND/OR CONFIDENTIAL

Fig. 4




Fig. 5




Fig. 6




Fig. 7





Fig. 7A






Fig. 7C




Fig. 7D




Fig. 7E




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 13A




Fig. 14




Fig. 14A




Fig. 15




Fig. 15A

Delivery Complication - Baby	# of Items Per Pac Option: iption • Show Total	je: (Use a leading O for v.	alues < 10, i.e. 05); 18		
der Bij. Count/Total C. Item Value/Desc	Uption • Show Fotal a		Zandlabel (C	Show % Total and I	abel
	if Dec	lay/Refresh Charl	A Bint Chart	Close	
Records Matching Selected Citeties 137		<u> </u>	26 Upy 2.25		
Selected item. I	On Line Guery fool Delivery Complication - Baby	Detail Information Total Records Match	ing Criferia: 137		
>-All Deliver	ies From 01 Jan 2001 To 3	0 Nov 2001 Sorted By:	Patient Name		
> Newborn	-> Result List and Total ar fems Selected, Newborn De	e at mentesvoum level elivery Physician ⇒ <u>Mann</u>	Dr Thom		
1 FETAL HEART RATE-LATE DECELERATION 1 R/O PLACENTAL ABRUPTION	<u>s</u>				a l
1 COMPOUND PRESENTATION 1 CORD, TRUE KNOT					
1 OTHER, SPECIFY 2 FETAL BRADYCARDIA 2 FETAL HEART RATE-VARIABLE DECELE					
2 MECONIUM, MODERATE 3 PROLONGED ROM (RUPTURE OF ME					
4 MECONIUM, THICK 4 CHORIOAMNIONITIS 5 MECONIUM, THIN					
7 NUCHAL CORD, TIGHT	NUCHAL CORD, LOOSE				
ACAGA TALAH SANTAN SANT	BECKER BUILDING SERVER STREET	41	50 NO COMPLICATIONS	NOTED	
Office PS BIVE B	o o o sor	<u> [5] [6]</u>		No.	isot \
ti 👪 Side , 알inbo : 경3D 알in	ьь Фонс Фонс	☑FW. ☑RE.	WMicr. PST.	্ (১৯৯০)	3:06 PM

Fig. 15B




Fig. 15C






Fig. 16






Fig. 17







Fig. 18






1952

Fig. 19A



ATTORNEY CLIENT PRIVILEGED AND/OR CONFIDENTIAL



2052

Fig. 20A




Fig. 21




Fig. 22





Fig. 22A

2252



2256

Fig. 22B





Fig. 22C







Fig. 24



1 18. 20







Fig. 26



2652

Fig. 26A





detect a previously accepted specific treatment recommendation, in response to attempted note entry (and, in some implementations, entails a recognition of the identity of the provider entering the note) (e.g., when a physician attempts to enter a chart note for a particular patient, a computer program, running on a data processing system, detecting that a previously recommended course of medical treatment (e.g., genetic consultation, multiple marker serum analyte screening test, or colposcopy) has been previously accepted for the particular patient)

present to the provider at least one question asking whether the previously accepted specific treatment recommendation has been completed (e.g., when genetic counseling, or multiple marker serum analyte screening test, or a colposcopy has been previously recommended (e.g., as discussed in relation to


Figures 22, 23, 24, and 25), the health care provider is presented with a question as to whether the results of the genetic counseling, or the multiple marker serum analyte screening test, or the colposcopy have been yet obtained)




Fig. 28

2802

2804



ATTORNEY CLIENT PRIVILEGED AND/OR CONFIDENTIAL






Fig. 31




Fig. 32




Fig. 33




Fig. 33A




Fig. 33B




Fig. 33C




Fig. 33D




Fig. 34